

# STAMINALIFT TS5000 TRANSFER SYSTEM



The StaminaLift® TS5000 Transfer System offers proven technology designed to prevent work related injury by reducing the effort required to move hospital beds.

## FEATURES

- **Universal compatibility:**

1. Designed for global hospital bed compatibility
2. Accommodates many stretchers and specialty beds

- **Adjustable Jaws suit:**

1. **Wheel base width:** 550mm to 890mm
2. **Castor sizes:** Ø125mm to Ø200mm (single and double)

- **Jaw bypass:** releases bed in an emergency

- **Brake bypass:** allows freewheeling in an emergency

- **600kg Safe Working Load (SWL) Bed and patient combined weight**



- Adjustable handle to suit operator height
- Works on all indoor surfaces, non-marking wheels
- Safe operation on gradients up to 7°
- Dual drive 360 degree movement
- Keyless control with safety lockout

- **One person operation:**

1. Hands free connect and lock
2. Fingertip control
3. No muscular strain

- **Quiet Operation:** 65dB

- **Automatic braking**

Australia Wide Sales & Service

sales@materialshandling.com.au | www.materialshandling.com.au | 1300 65 00 35

**MATERIALS**  
**Handling** *Working with ease.*  
PTY LTD

# TECHNICAL SPECIFICATIONS

- **Max load capacity:** 300 kg lift and 600 kg push or pull, 660 lbs lift and 1320 lbs push or pull
- **Max operating gradient:** 7 degrees
- **Weight:** 160 kg/352 lbs
- **Dimensions (L x W x H):**
  1. **In Use:** 780mm x 925mm x 1220mm - (31in. x 35in. x 48in.)
  2. **In Storage:** 780mm x 935mm x 480mm (31in. x 37in. x 19in.)
  3. **Shipped:** 852mm x 1051mm x 605 - (34in. x 41in. x 24in.)
- **Batteries:** Sealed maintenance free GEL batteries.



- **Recharge:** Nightly recharge recommended using supplied automatic charger
- **Warning device:** Horn (warning device) on control unit
- **Security:** Electronic locking function available, refer to operators manual
- **Wheels:** Non-marking, suitable for indoor use on a variety of surfaces
- **Controls:** Programmable, ergonomic joystick for control of direction, speed and jaw movement
- **Safety features:**
  1. **Automatic brakes / Emergency Stop Button**
  2. **Emergency Jaw release -** Allows override of lowering mechanism
  3. **Emergency Brake release** Allows override of brake mechanism Safety features to prevent unauthorized use
- **Motor:** Two variable drive DC electric motors
- **Servicing:** Semi-Annual

# STAMINALIFT TS6000 TRANSFER SYSTEM



The StaminaLift® TS6000 Transfer System offers proven technology designed to prevent work related injury by reducing the effort required to move bariatric hospital beds.

## FEATURES

- **Universal compatibility**
  1. Designed for global Bariatric Bed compatibility
- **Adjustable Jaws to suit:** Bariatric Bed
  1. **Wheel base width:** 550mm to 1010mm
  2. **Castor sizes:** Ø125mm to Ø200mm (single and double)
- **Jaw bypass:** releases bed in an emergency
- **Brake bypass:** allows freewheeling in an emergency
- **900kg Safe Working Load (SWL)**
  - Adjustable handle to suit operator height
  - Works on all indoor surfaces, non-marking wheels
  - Dual drive 360-degree movement
  - Keyless control with safety lockout
- **One-person operation:**
  1. Hands free connect and lock
  2. Fingertip control
  3. No muscular strain
- **Quiet Operation:** 65dB
- **Automatic braking**
- **Max operating gradient:** 7 degrees



Australia Wide Sales & Service

sales@materialshandling.com.au | www.materialshandling.com.au | 1300 65 00 35

**MATERIALS**  
**Handling** *Working with ease.*  
PTY LTD

## TECHNICAL SPECIFICATIONS

- **Max load capacity:** 450 kg lift and 900 kg push or pull 993 lbs lift and 1985 lbs push or pull
- **Machine Weight:** 200 kg/441 lbs
- **Dimensions (L x W x H):** In Use: 900mm x 880mm x 1250mm - (35in. x 34in. x 49in.)
- **Packaged:** 1090mm x 920mm x 650mm - (43in. x 36in. x 26in.)
- **Batteries:** Sealed maintenance free GEL batteries.



- **Recharge:** Nightly recharge recommended using supplied automatic charger
- **Warning device:** Horn (warning device) on control unit
- **Security:** Electronic locking function available, refer to operators manual
- **Wheels:** Non-marking, suitable for indoor on a variety of surfaces
- **Controls:** Programmable, ergonomic joystick for control of direction, speed and jaw movement
- **Safety features:** Automatic brakes / Emergency Stop Button
- **Emergency Jaw release:** – allows override of lowering mechanism
- **Emergency Brake release:** – allows override of brake mechanism Safety features to prevent unauthorized use
- **Motor:** Two variable drive DC electric motors
- **Servicing:** Semi-Annual

# STAMINALIFT 2100 HOSPITAL BED MOVER



The StaminaLift® 2100 Hospital Bed Mover offers proven technology designed to prevent work related injury by reducing the effort required to move hospital beds.

## FEATURES

- Prevents workplace injury
- Eliminates related workers compensation costs
- Unique patented technology
- 500kg Safe Load (SWL)
- Adjustable Handle to suit operator height
- Automatic braking
- Simple to operate
- Dual Drive 360 degree movement
- One person operation
- Compact
- Quiet operation: 65dB
- Safe operation on gradients up to 7°
- Works on all indoor surfaces, non-marking wheels
- Low maintenance
- Reduces bed moving costs by up to 80%



Australia Wide Sales & Service

sales@materialshandling.com.au | www.materialshandling.com.au | 1300 65 00 35

**MATERIALS**  
**Handling** *Working with ease.*  
PTY LTD