

PEDESTRIAN OPERATED TUG M1 SPECIFICATIONS



4,0 km/h



1.000 kg



15 %


- For loads up to 1000 kg.
- Super-compact, thanks to the foldable tiller.
- Interchangeable battery packs.
- Optional slow / fast button.
- Wide range of accessories and connections.

👁 Front View



👁 Side View





Zollys®

TABLE:
M1

Unit: mm [inch]

Main sectors



METALLURGICAL
INDUSTRY



TEXTILE
INDUSTRY




SUPERMARKETS &
LARGE DISTRIBUTION

Performances on slopes

While the force expressed in N at the hook remains unchanged, the following circumstances **may affect the towing capacity expressed in kg**:


- **type of ground** on which the towing is performed;
- towing on **flat ground or on a slope**;
- use (or not) of **ballasts**;
- **type of wheels** mounted on the vehicle and on the trailer.




Slow / fast switch (optional)

On the new M1 tillerhead by Zallys it is possible to equip a button for the adjustment of the speed of the machine. By clicking it, you can switch between full and reduced speed. This allows a fast and easy selection of the correct speed based on the kind of manoeuvre. The Flex-to-Go system has been studied to give a better maneuverability in confined spaces and more speed on the longer journeys.

Speed levels:

 = 50% of maximum speed

 = Maximum speed



Ergonomic driving

Zallys' tillerhead has been conceived and produced to make the use of the machine more ergonomic for the operator, guaranteeing the right **comfort while driving during the work shift**. Its **ergonomic design** allows to have **all the driving controls at your fingertips**, the display with the battery charge level and the power key for an easy and fast ignition. **The structure** is made of **resistant materials** in case of accidental bumps.





Foldable tiller

M1's tiller is adjustable in height and foldable, to take less space when not in use, but not only this: by reducing its size it becomes easier to transport it and load it on elevators, trucks or even small vans for off-site works.

Interchangeable battery packs 24/7



22Ah - AGM




33Ah - AGM



40Ah - Litio

Battery packs are lightweight and easily **interchangeable** in order to cover several work shifts: when one is discharged you can put it in charge and immediately replace it with a fully charged one. This way, the machine is always operating! Moreover, **different amperages** are available according to your needs: 22Ah, 33Ah AGM or 40Ah Lithium.



Modular ballast system

Zallys modular system guarantees maximum flexibility on increasing the vehicle's performances. With just 4 kg unit weight, single ballasts are lightweight and can be equipped without physical effort by the operator, while maintaining all their effectiveness.

STANDARD HITCH

