



5,0 km/h



- # MATERIALS
- ## Handling
- PTY LTD *Working with ease...*



**Zollys®**

TABLE:  
M12

Unit: mm [inch]

## Main sectors



AUTOMOTIVE  
INDUSTRY



METALLURGICAL  
AND TURNING  
INDUSTRY



RAILWAY  
INDUSTRY



GLASS  
INDUSTRY



TEXTILE  
INDUSTRY



INDUSTRIAL  
MAINTENANCE



LAUNDRIES AND  
MULTISERVICE  
COMPANIES



FOOD INDUSTRY



AIRPORTS




HOSPITALS

## Performances on slopes

While the force expressed in N at the hook remains unchanged, the following circumstances **may affect the towing capacity expressed in kg**:

- **type of ground** on which the towing is performed;
- towing on **flat ground or on a slope**;
- use (or not) of **ballasts**;
- **type of wheels** mounted on the vehicle and on the trailer.



## 5 levels speed adjustment


On the new M12 tillerhead by Zallys is mounted **as standard** a button for the adjustment of the speed of the machine. By clicking it, at each click you switch to the next level. This allows a fast and easy selection of the correct speed based on the kind of manoeuvre. **The Flex-to-Go system** has been studied to give a better maneuverability in confined spaces and more speed on the longer journeys.

Each click adds **20% more speed**.

### Speed ramp:

20% - 40% - 60% - 80% - 100%

Once the maximum speed is reached, by pressing the button again it returns to 20%.



## Ergonomic driving

Zallys' tillerhead has been conceived and produced to make the use of the machine more ergonomic for the operator, guaranteeing the right **comfort while driving during the work shift**. Its **ergonomic design** allows to have **all the driving controls at your fingertips**, the display with the battery charge level and the power key for an easy and fast ignition. **The structure** is made of **resistant materials** in case of accidental bumps.





## The right wheels for every need

**JACK** mounts **pneumatic wheels** as standard, suitable for both indoor and outdoor use, and guarantee the maximum grip and a very low level of vibrations. Moreover, they are really resistant and offer exceptional performances on every terrain. On request it is possible to put on a different kind of wheels, such as **Tractor wheels** for irregular or uneven terrains, or the “**non-marking superelastic**” wheels, for delicate floorings.

## Interchangeable battery packs 24/7



33Ah - AGM

45Ah - AGM

40Ah - Litio

Battery packs are lightweight and easily **interchangeable** in order to cover several work shifts: when one is discharged you can put it in charge and immediately replace it with a fully charged one. This way, the machine is always operating! Moreover, **different amperages** are available according to your needs: 33Ah, 45Ah AGM or 40Ah Lithium



## Modular ballast system

**Zallys modular system** guarantees **maximum flexibility** on increasing the vehicle's performances. With just **4 kg unit weight**, single ballasts are lightweight and can be equipped **without physical effort by the operator**, while maintaining all their effectiveness.



# STANDARD HITCH

