

Corrosion Proof Ladders MFNF54

Technical Data Sheet

| | |
|--------------|--------------------------------|
| Product Code | MFNF54 |
| Phone Number | 1300 25 84 07 |
| Email | sales@materialshandling.com.au |

PROPERTIES

| | |
|-------------------------------|---------------------------------------|
| ✓ Standards | AS/NZS 1892.3 |
| ⚠ Load Rating | 150kg |
| ⚡ Electrical Properties | Complies to AS/NZS 1892.3 Section 2.4 |
| 🔥 Heat Resistance | 130 Degrees Celsius |
| 🧴 Chemical Resistance | Tested to AS/NZS 1892.3 |
| ☀ Accelerated Weathering Test | Tested to AS 2331.3.1 |
| 🛡 Warranty | 3 years from date of manufacturing |

MEASUREMENTS

| | |
|--------------------------|----------------------------|
| ⚖ Weight | Fly: 16kg / Base: 16.5kg |
| ↕ Distance Between Rungs | 0.305m |
| 📏 Height | Fly: 5.515m / Base: 5.470m |
| 📏 Height to Top Rung | 5.005m |
| ↔ Width | Fly: 0.365m / Base: 0.450m |

COMPONENTS

| | |
|-------------------|--|
| A Stiles | Fibreglass: ISO-PE resin with e-glass fibres |
| B Rungs | Round: Fibreglass ISO-PE resin with e-glass fibres |
| C Feet | Thermoplastic Vulcanizate |
| D Rung Wear Strip | HD Polyethylene |
| E End Caps | 35% GF Nylon PV 35H – Black |
| Rivets | Zinc Plated Low Carbon Steel |

