
Gas Cylinder Storage Cages



Industrial Gas Cylinder Stores





Additional Features

- Empty lift only.
- Appropriate warning and safety signage that complies with AS 1216 and AS 1319.
- Suitable for the storage of Class 2.1, 2.2 and 2.3 dangerous gases.
- Manufactured in Australia.

MG1	SS
-----	----




*	
FLAMMABLE GAS	FLAMMABLE NON-TOXIC GAS
2	2

Small -	Gas Cylinder	Store -	Single	Sided
Access				

Dimensions							
	H W D						
External	1760	554	585				
Internal	1654	480	520				
Weight			70.0kg				
Complies \	With	AS	4332:2004				
	D Size - Industrial	E Size - Industrial	G Size - Industrial				
	4	4	4				
Maximum	T Size - LPG	R Size - LPG	S Size - LPG				
Capacity	1	1	1				
	90 Kg - LPG	G Size - Acetylene					
	0	1					

MG2SS





Access



Dimensions							
	H W D						
External	1905	855	955				
Internal	1798	780	890				
Weight			134.0 kg				
Complies	With	AS	4332:2004				
	D Size - Industrial	E Size - Industrial	G Size - Industrial				
	20	12	9				
Maximum	T Size - LPG	R Size - LPG	S Size - LPG				
Capacity	4	4	4				
	90 Kg - LPG	G Size - Acetylene					
	1	4					

Large - Gas Cylinder Store - Single Sided

MG6SS





XLarge - Gas Cylinder Store - Single Sided Access					
	Dime	nsions			
	Н	W	D		
External	2046	1360	985		
Internal	1857	1240	860		
Weight	Weight 295.0 kg				
Complies \	With	AS	4332:2004		
	D Size - Industrial	E Size - Industrial	G Size - Industrial		
	28	20	12		
Maximum	T Size - LPG	R Size - LPG	S Size - LPG		
Capacity	6	6	6		
	90 Kg - LPG	G Size - Acetylene			
	2	8			

MG12SS	FLAMMABLE KONTORCE GAS 2 2
	•
24 _ 2A	

DimesionsHWDExternal204617601205Internal185716401070Weight- 406.0 cgWeight- 406.0 cgComples UtSize IndustionParameter Size IndustionExternal24Internal163216321632Object IndustionExternal100IndustionExternal100IndustionExternal100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100100Internal100Internal100Internal100Internal100Internal100Internal100Internal100Internal100Internal100Internal100Internal100Internal100Internal100Internal100Interna	Access						
External204617601205Internal185716401070Weight 406.0 kg 406.0 kgComplies Uth $ASZ22004$ $ASZ22004$ D Size-Industrial6 Size-Industrial5428245428241548 Size-LPGS Size-LPG88890 Kg-LPGG Size-Acetylene		Dimensions					
Internal185716401070Weight <td< th=""><th></th><th>Н</th><th>W</th><th>D</th></td<>		Н	W	D			
Weight 406.0 kg Complies With AS J32:2004 D Size-Industrial E Size-Industrial 54 28 24 24 T Size-LPG R Size-LPG 8 8 90 Kg-LPG G Size-Acetylene	External	2046	1760	1205			
D Size - Industrial E Size - Industrial G Size - Industrial D Size - Industrial 54 28 24 54 28 24 24 T Size - LPG R Size - LPG S Size - LPG 8 8 8 8 8 90 Kg - LPG G Size - Acetylene Control	Internal	1857	1640	1070			
D Size - Industrial E Size - Industrial G Size - Industrial 54 28 24 T Size - LPG R Size - LPG S Size - LPG 8 8 8 90 Kg - LPG G Size - Acetylene	Weight	Weight 406.0 kg					
Maximum Capacity5428241 Size - LPGR Size - LPGS Size - LPG88890 Kg - LPGG Size - Acetylene	Complies	With	AS	4332:2004			
Maximum CapacityT Size - LPGR Size - LPGS Size - LPG88890 Kg - LPGG Size - Acetylene		D Size - Industrial	E Size - Industrial	G Size - Industrial			
Maximum 8 8 Capacity 8 8 90 Kg - LPG G Size - Acetylene		54	28	24			
90 Kg - LPG G Size - Acetylene	Maximum	T Size - LPG	R Size - LPG	S Size - LPG			
	Capacity	8	8	8			
6 15		90 Kg - LPG	G Size - Acetylene				
		6	15				

XXLarge - Gas Cylinder Store - Single Sided

MG24SS



XXXLarge - Gas Cylinder Store - Single Sided Access

Dimensions

н

W



External	2046	3670	1205	
Internal	1857	3 x 1125	1070	
Weight	Weight			
Complies \	With	AS	4332:2004	
	D Size - Industrial	E Size - Industrial	G Size - Industrial	
	D Size - Industrial	E Size - Industrial	G Size - Industrial 48	
Maximum				
Maximum Capacity	108	48	48	
	108 T Size - LPG	48 R Size - LPG	48 S Size - LPG	

D

MG04D

Specifications

Small -	Gas	Cylinder Sto	ore - Dual Si	ded Acces
Ť		Dime	nsions	
		Н	W	D
Exter	nal	2046	880	990
Inter	nal	1885	760	2 x 405
Weig	Jht			80.0 kg
Com	plies \	With	AS	4332:2004
		D Size - Industrial	E Size - Industrial	G Size - Indus
		16	6	6
Maxim	านm	T Size - LPG	R Size - LPG	S Size - LP
Сарас	city	4	4	4
		90 Kg - LPG	G Size - Acetylene	
		0	4	

MG06D





Large - Gas Cylinder Store - Dual Sided Access

Dimensions						
	H W D					
External	2046	1250	990			
Internal	1885	1130	2 x 405			
Weight			95.0 kg			
Complies \	With	AS	4332:2004			
	D Size - Industrial	E Size - Industrial	G Size - Industrial			
	24	10	8			
Maximum	T Size - LPG	R Size - LPG	S Size - LPG			
Capacity	6	6	6			
	90 Kg - LPG	G Size - Acetylene				
	0	6				

MG04DS	Small - Gas	Cylinder Sto	ore - Dual Si	ded Access
	Dimensions			
		Н	W	D
	External	2046	880	1030
	Internal	1885	760	2 x 380
	Weight			110.0 kg
	Complies With AS 4332:2004			
	Maximum Capacity	D Size - Industrial	E Size - Industrial	G Size - Industrial
		16	6	6
		T Size - LPG	R Size - LPG	S Size - LPG
		4	4	4
		90 Kg - LPG	G Size - Acetylene	
		0	4	

Dimensions						
	Н	W	D			
External	2046	880	1030			
Internal	1885	760	2 x 380			
Weight		110.0 kg				
Complies With AS 4332:2004						
Maximum Capacity	D Size - Industrial	E Size - Industrial	G Size - Industrial			
	16	6	6			
	T Size - LPG	R Size - LPG	S Size - LPG			
	4	4	4			
	90 Kg - LPG	G Size - Acetylene				
	0	4				



Dimensions						
	Н	W	D			
External	2046	1250	1030			
Internal	1885	1130	2 x 380			
Weight	130.0 kg					
Complies With AS 4332:2004						
Maximum Capacity	D Size - Industrial	E Size - Industrial	G Size - Industrial			
	24	10	8			
	T Size - LPG	R Size - LPG	S Size - LPG			
	6	6	6			
	90 Kg - LPG	G Size - Acetylene				
	0	6				

MATERIALS Handling working with ease

Large - Gas Cylinder Store - Dual Sided Access

Australia Wide Sales & Service sales@materialshandling.com.au | www.materialshandling.com.au | 1300 25 84 07