



Heavy Duty  
Dangerous Goods Storage Cabinets  
Organic Peroxides

**MATERIALS**  
**Handling** *Working with ease...*  
PTY LTD



# Heavy Duty Organic Peroxide Storage Cabinets



## Heavy Duty Construction

Manufactured from 25% heavier materials than minimum requirement.




## Self-Closing Doors

Self-closing, close fitting doors that automatically release in the event of a build-up of pressure within the cabinet.




## Complies with AS 2714:2008

Designed and manufactured in full conformance to AS 2714:2008 - *The storage and handling of organic peroxides.*



## Vent Openings

Built in flash arrestors and vent openings [for mechanical ventilation systems.]



## High Capacity Sump

Genuine sump capacities maintained with a fixed suspended perforated floor.



## Sump Plug

Drain plug on spill containment sump for safe disposal of spills.


## Additional Features

- Continuous stainless steel pin hinging for maximum strength and reliability.
- Safety signs and directions that comply with AS 1216 and AS 1319.
- Unique spark-proof, self-latching locking system with lockable handle.
- Manufactured in Australia.

Product Code

Specifications

DPS16052



160L - Heavy Duty Organic Peroxide Storage Cabinet

Dimensions			
	H	W	D
External	1100	784	804
Internal	858	700	718
Storage Levels	2		
Sump Capacity	75L		
Weight	91.0 kg		
Complies With	AS 2714:2008		
Max	4L	20L	205L
160L	27*	8	0

\*with 3 storage levels

DPS16152



160L - Heavy Duty Organic Peroxide Storage Cabinet

Dimensions			
	H	W	D
External	1100	1384	454
Internal	858	1300	365
Storage Levels	2		
Sump Capacity	71L		
Weight	98.0 kg		
Complies With	AS 2714:2008		
Max	4L	20L	205L
160L	42*	8	0

\*with 3 storage levels