Heavy Duty Dangerous Goods Storage Cabinets

Toxic Substances

MATERIALS
Handling working with ease.

Heavy Duty Toxic Substance Storage Cabinets



Drain plug

containment

sump for safe

disposal of spills.

on spill



Complies with AS/NZS 4452:1997

Designed and manufactured in full conformance to AS/NZS 4452:1997 - The storage and handling of toxic substances.

Additional Features

- Continuous stainless steel pin hinging for maximum strength and reliability.
- Safety signs and directions that comply with AS 1216 and
- Unique spark-proof, self-latching locking system with lockable handle.
- Manufactured in Australia.

DPS0806



80L - Heavy Duty Toxic Storage Cabinet

Dimensions				
	Н	W	D	
External	1100	784	454	
Internal	858	700	365	
Storage Levels 2			2	
Sump Capacity 38L			38L	
Weight			65.0 kg	
Complies With		AS/NZS	AS/NZS 4452:1997	
Max	4L	20L	205L	
80L	18*	4	0	

*with 3 storage levels

DPS1606





160L - Heavy Duty Toxic Storage Cabinet

Dimensions			
Н	W	D	
1100	784	804	
858	700	718	
Storage Levels 2			
acity	75L		
	91.0 kg		
Complies With AS/NZS 4452:1997		4452:1997	
4L	20L	205L	
27*	8	0	
	H 1100 858 vels acity Vith 4L	H W 1100 784 858 700 vels acity Vith AS/NZS	

*with 3 storage levels

DPS1616



MAXIMUM CAPACITY 150 LITRES MAXIMUM CAPACITY 150 LITRES TOXIC

160L - Heavy Duty Toxic Storage Cabinet

Dimensions			
	Н	W	D
External	1100	1384	454
Internal	858	1300	365
Storage Levels 2			
Sump Capacity 711		71L	
Weight		98.0 kg	
Complies With		AS/NZS 4452:1997	
Max	4L	20L	205L
160L	42*	8	0

*with 3 storage levels

DPS2506





250L - Heavy Duty Toxic Storage Cabinet

Dimensions				
	Н	W	D	
External	1282	1170	804	
Internal	1010	1080	718	
Storage Levels 2			2	
Sump Cap	acity		116L	
Weight 132.0 k		132.0 kg		
Complies With		AS/NZS 4452:1997		
Max	4L	20L	205L	
250L	54*	18	1	

*with 3 storage levels

DPS2516





250L - Heavy Duty Toxic Storage Cabinet

Dimensions				
	Н	W	D	
External	1880	806	804	
Internal	1608	700	718	
Storage Levels 3				
Sump Capacity 79L			79L	
Weight		143.0 kg		
Complies With		AS/NZS	AS/NZS 4452:1997	
Max	4L	20L	205L	
250L	45*	12	1	

*with 5 storage levels