Indoor Dangerous Goods Storage Cabinets

Flammable Liquids



Dual Walled

Double walled sheet steel

construction with 40mm

thermic air barrier.

Class 3 Flammable Liquid Storage Cabinets



Sequential door closing system with close fitting doors held shut by catches at 2 points.



Quality Made Product

Manufactured in Australia.



High Capacity Sump

High Capacity liquid tight sump to contain spills - 150mm deep.



Perforated Adjustable Shelving

Strong fully adjustable shelving perforated for free air movement, 100mm adjustment increments.



Complies with AS 1940:2017

Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.



- State of the art powder coat finish for high durability and performance.
- Built in flash arrestors and vent openings [for mechanical ventilation systems.]
- Distinct Safety signs and directions that comply with AS 1216 and AS 1319.
- Stainless steel pin with continuous hinging for strength and reliability.
- Comfortable ergonomic handle design.

SAFETSTORE

SC030

30	FLAMMABLE	30L - Flammable Liquids Storage Cabinet				
			Dime	nsions		
The Manual I			н	W	D	
		External	800	500	450	
		Internal	553	418	370	
THE REAL		Storage Le	vels			
		Sump Capa	acity		23	
MAXIMUM CAPACITY 30 LITRES		Weight			33.0 k	
		Complies V	Vith	AS	1940:201	
		Max	4L	20L	205L	
		201	0	1	C.	

Dimensions					
	Н	W	D		
External	800	500	450		
Internal	553	418 370			
Storage Levels 2					
Sump Cap	acity		23L		
Weight			33.0 kg		
Complies With AS 1940:2017					
Max	4L	20L	205L		
30L	8	1	0		

SC060





60L - Flammable Liquids Storage Cabinet

Dimensions						
	H W D					
External	1065	500	450			
Internal	818	418	370			
Storage Levels 2						
Sump Capa	acity		23L			
Weight			41.0 kg			
Complies \	Nith	AS	1940:2017			
Мах	4L	20L	205L			
60L	12*	2	0			

*with 3 storage levels

SC10	00	FLAMABLE LIGHT	100L - Flam	mable Liqui	ds Storage	Cabinet
		•		Dime	nsions	
		1		Н	W	D
	NO SMOKING		External	800	920	615
NO IGNITION SOURCES WITHIN 3 METRES		Internal	553	838	535	
	FLAMM	ABLE	Storage Le	evels		2
	MAXIMUM CAPACITY 100 LITRES	Į.	Sump Cap	acity		67L
		AFEISTORE	Weight			65.0 kg
			Complies	With	AS	1940:2017
			Max	4L	20L	205L
			100L	16	4	0



160L - Flammable Liquids Storage Cabinet

Dimensions						
	H W D					
External	1220	1100 450				
Internal	973	1018 370				
Storage Levels 2						
Sump Cap	acity		56L			
Weight			78.0 kg			
Complies With AS 1940:2017						
Мах	4L	20L	205L			
160L	30*	6	0			

SC170	170L - Flam	mable Liqui	ds Storage (Cabinet
		Dime	nsions	
NO SMOKING NO SMOKING NO GUTHN 3 METRES		н	W	D
WITHN 3 METRES	External	1750	700	450
PLANMARKE Backing 3	Internal	1503	618	370
	Storage Le	vels		3
	Sump Cap	acity	34L	
Non-statement of the statement	Weight			80.0 kg
	Complies \	With	AS	1940:2017
	Max	4L	20L	205L
	170L	30*	6	0
			*wit	h 5 storage levels

SC205H





205L - Flammable Liquids Storage Cabinet

Dimensions						
	Н	W D				
External	1370	760	1220			
Internal	1123	678	1140			
Storage Levels 1						
Sump Capa	acity		116L			
Weight			115.0 kg			
Complies With AS 1940:2017						
Max	4L	20L	205L			
205L	72*	18**	1			

Indoor Dangerous Goods Storage Cabinets

*with 4 storage levels I **with 2 storage levels

SC250

FLAMMABLE LIDUID	250L - Flam	mable Liqui	ds Storage	Cabinet
		Dime	nsions	
		Н	W	D
PLANMARE LOOD	External	1750	1100	500
	Internal	1503	1018	420
	Storage Le	evels		
	Sump Cap	acity		64
	Weight			123.0 k
	Complies \	With	AS	1940:201
	Max	4L	20L	205L
	250L	50*	9	0

*with 5 storage levels

SC300





250L - Flammable Liquids Storage Cabinet

Dimensions					
	н	W	D		
External	1880	806	804		
Internal	1608	700	718		
Storage Levels 3					
Sump Cap	acity		79L		
Weight			143.0 kg		
Complies \	Complies With AS 1940:2017				
Max	4L	20L	205L		
250L	45*	12	1		

*with 5 storage levels

SC350

PLAMAALE	350L - Flam	mable Liqui	ds Storage	Cabinet
		Dime	nsions	
		Н	W	D
	External	1880	1160	804
	Internal	1608	1080	718
	Storage Le	vels		3
	Sump Cap	acity		118L
	Weight			161.0 kg
	Complies \	With	AS	1940:2017
	Max	4L	20L	205L
	350L	54*	18	1
			+ .*	

*with 5 storage levels

SCV



250L - Flammable Liquids Storage Cabinet
with Roller Base

Dimensions					
	н	W	D		
External	1880	806	804		
Internal	1608	700	718		
Storage Levels 2					
Sump Capa	acity		79L		
Weight 149.0 kg					
Complies With AS 1940:2017					
Max	4L	20L	205L		
250L	45*	12**	1		

*with 5 storage levels I **with 3 storage levels

