




Indoor Dangerous
Goods Storage Cabinets

Flammable Solids, Spontaneously
Combustible and Dangerous When Wet

MATERIALS
Handling *Working with ease...*
PTY LTD

FEATURES

Class 4 Dangerous Goods Storage Cabinets



Self-Closing Doors

Self-closing, close fitting doors that automatically release in the event of a build-up of pressure within the cabinet.




Perforated Adjustable Shelving

Strong fully adjustable shelving perforated for air movement, 100mm adjustment increments.




Complies with AS/NZS 5026:2012

Designed and manufactured in full conformance to AS/NZS 5026:2012 - *The storage and handling of class 4 dangerous goods.*




Dual Walled

Double walled sheet steel construction with a 40mm thermic air barrier.



Vent Openings

Built in flash arrestors and vent openings [for mechanical ventilation systems.]



High Capacity Sump

High capacity liquid tight sump to contain spills - 150mm deep.



Additional Features

- Stainless steel pin with continuous hinging for the strength and reliability.
- Distinct Safety signs and directions that comply with AS 1216 and AS 1319.
- Manufactured in Australia.
- Sequential door closing system.
- State of the art powder coat finish for high durability and performance.

SC03041



30L - Flammable Solids Storage Cabinet

Dimensions			
	H	W	D
External	800	500	450
Internal	553	418	370
Storage Levels	2		
Sump Capacity	23L		
Weight	33.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
30L	8	1	0

SC06041



60L - Flammable Solids Storage Cabinet

Dimensions			
	H	W	D
External	1065	500	450
Internal	818	418	370
Storage Levels	2		
Sump Capacity	23L		
Weight	41.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
60L	12*	2	0

*with 3 storage levels


SC10041



100L - Flammable Solids Storage Cabinet

Dimensions			
	H	W	D
External	800	920	615
Internal	553	838	535
Storage Levels	2		
Sump Capacity	67L		
Weight	65.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
100L	16	4	0

SC16041



160L - Flammable Solids Storage Cabinet

Dimensions			
	H	W	D
External	1220	1100	450
Internal	973	1018	370
Storage Levels	2		
Sump Capacity	56L		
Weight	78.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
160L	30*	6	0

*with 3 storage levels

SC17041



170L - Flammable Solids Storage Cabinet

Dimensions			
	H	W	D
External	1750	700	450
Internal	1503	618	370
Storage Levels	3		
Sump Capacity	34L		
Weight	80.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
170L	30*	6	0

*with 5 storage levels

SC25041



250L - Flammable Solids Storage Cabinet

Dimensions			
	H	W	D
External	1750	1100	500
Internal	1503	1018	420
Storage Levels	3		
Sump Capacity	64L		
Weight	123.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
250L	50*	9	0

*with 5 storage levels

SC30041



250L - Flammable Solids Storage Cabinet

Dimensions			
	H	W	D
External	1880	806	804
Internal	1608	700	718
Storage Levels			3
Sump Capacity			79L
Weight			143.0 kg
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
250L	45*	12	1

*with 5 storage levels

SC03042



30L - Spontaneously Combustible Substances Storage Cabinet

Dimensions			
	H	W	D
External	800	500	450
Internal	553	418	370
Storage Levels	2		
Sump Capacity	23L		
Weight	33.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
30L	8	1	0

SC06042



60L - Spontaneously Combustible Substances Storage Cabinet

Dimensions			
	H	W	D
External	1065	500	450
Internal	818	418	370
Storage Levels	2		
Sump Capacity	23L		
Weight	41.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
60L	12*	2	0

*with 3 storage levels


SC10042



100L - Spontaneously Combustible Substances Storage Cabinet

Dimensions			
	H	W	D
External	800	920	615
Internal	553	838	535
Storage Levels	2		
Sump Capacity	67L		
Weight	65.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
100L	16	4	0

SC16042



160L - Spontaneously Combustible Substances Storage Cabinet

Dimensions			
	H	W	D
External	1220	1100	450
Internal	973	1018	370
Storage Levels	2		
Sump Capacity	56L		
Weight	78.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
160L	30*	6	0

*with 3 storage levels

SC17042



170L - Spontaneously Combustible Substances Storage Cabinet

Dimensions			
	H	W	D
External	1750	700	450
Internal	1503	618	370
Storage Levels	3		
Sump Capacity	34L		
Weight	80.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
170L	30*	6	0

*with 5 storage levels

SC25042



250L - Spontaneously Combustible Substances Storage Cabinet

Dimensions			
	H	W	D
External	1750	1100	500
Internal	1503	1018	420
Storage Levels	3		
Sump Capacity	64L		
Weight	123.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
250L	50*	9	0

*with 5 storage levels

SC30042



250L - Spontaneously Combustible Substances Storage Cabinet

Dimensions			
	H	W	D
External	1880	806	804
Internal	1608	700	718
Storage Levels			3
Sump Capacity			79L
Weight			143.0 kg
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
250L	45*	12	1

*with 5 storage levels

Product Code

Specifications

SC03043



30L - Dangerous When Wet Storage Cabinet

Dimensions			
	H	W	D
External	800	500	450
Internal	553	418	370
Storage Levels	2		
Sump Capacity	23L		
Weight	33.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
30L	8	1	0

SC06043



60L - Dangerous When Wet Storage Cabinet

Dimensions			
	H	W	D
External	1065	500	450
Internal	818	418	370
Storage Levels	2		
Sump Capacity	23L		
Weight	41.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
60L	12*	2	0

*with 3 storage levels

Product Code

Specifications


SC10043



100L - Dangerous When Wet Storage Cabinet

Dimensions			
	H	W	D
External	800	920	615
Internal	553	838	535
Storage Levels	2		
Sump Capacity	67L		
Weight	65.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
100L	16	4	0

SC16043



160L - Dangerous When Wet Storage Cabinet

Dimensions			
	H	W	D
External	1220	1100	450
Internal	973	1018	370
Storage Levels	2		
Sump Capacity	56L		
Weight	78.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
160L	30*	6	0

*with 3 storage levels

SC17043



170L - Dangerous When Wet Storage Cabinet

Dimensions			
	H	W	D
External	1750	700	450
Internal	1503	618	370
Storage Levels	3		
Sump Capacity	34L		
Weight	80.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
170L	30*	6	0

*with 5 storage levels

SC25043



250L - Dangerous When Wet Storage Cabinet

Dimensions			
	H	W	D
External	1750	1100	500
Internal	1503	1018	420
Storage Levels	3		
Sump Capacity	64L		
Weight	123.0 kg		
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
250L	50*	9	0

*with 5 storage levels

Product Code

Specifications

SC30043



250L - Dangerous When Wet Storage Cabinet

Dimensions			
	H	W	D
External	1880	806	804
Internal	1608	700	718
Storage Levels			3
Sump Capacity			79L
Weight			143.0 kg
Complies With	AS/NZS 5026:2012		
Max	4L	20L	205L
250L	45*	12	1

*with 5 storage levels