NESTING CAGE TROLLEYS SPECIFICATIONS

Unique space saving and large volume transport trolleys!





- Setting up and folding can be done with little and minimal effort.
- Unit folds up neatly and conveniently for storage and nesting.
- The base plate is made from plastic, which reduces noise associated with harder materials. Noise reduction data - 65 db on plastic base compared to 87 db on steel base.
- Painted with a double-coating finish provides superb strength, cleanliness and long-lasting appearance.
- Choose from a wide variety of features and sizes for many applications, including models equipped with a lock, cool insulation cover and weather-proof covers.
- Quality and strong Prestar range that features a 5-year Warranty.





BWL2 - 300 KG CAPACITY

Model	External Dimensions	Internal Dimensions	Weight	Capacity	Doors	Castors
BWL2S	800 x 600 x 1700mm	740 x 545 x 1450mm	36kg	300kg	No	130mm swivel 2 with brakes
BWL2D	800 x 600 x 1700mm	740 x 545 x 1450mm	37kg	300kg	Yes	130mm swivel 2 with brakes

Total Capacity 300 KG (Both)



BWL2S Open Front

BWL2D Double Doors

Choice of Accessories to Suit BWL2 Range

- □ Steel shelf BWL2S
- Plastic shelf BWL2P
- Dust and weather cover
- Insulated cover
- Direction lock castors
- □ Tow hitch for transport with tow device

Features of the BWL2

- Quality powdercoated finish
- Plastic lightweight base
- Quality bearing castors
- Low noise in mobility



BWL6 - 500 KG CAPACITY

Model	External Dimensions	Internal Dimensions	Weight	Capacity	Doors	Castors
BWL6	1100 x 800 x 1700mm	1040 x 760 x 1490mm	43.5kg	500kg	No	130mm swivel 2 with brakes
BWL6D	1100 x 800 x 1700mm	1040 x 760 x 1490mm	45.5kg	500kg	Yes	130mm swivel 2 with brakes

Total Capacity 500 KG (Both)



BWL6 Open Front Pictured with BWL6SHELF (Shelf)



Choice of Accessories to Suit BWL6 Range

- Steel Shelf BWL6S
- Plastic Shelf BWL6P
- Dust and weather cover
- Insulation cover
- Direction lock castors
- Tow hitch for transport with tow device

Features of the BWL6

- Quality powdercoated finish
- Plastic lightweight base
- Quality bearing castors
- Low noise in mobility
- Large capacity



BWL6SC - SECURITY STYLE

Model	External Dimensions	Internal Dimensions	Weight	Capacity	Doors	Castors
BWL6SC	1120 x 820 x 1735mm	1030 x 770 x 1490mm	73kg	500kg	Yes	130mm swivel 2 with brakes

500 KG Capacity



Choice of Accessories to Suit BWL6SC Range

- Steel Shelf BWL6S
- Dust cover
- Installation cover
- Direction lock castors
- □ Tow hitch for transport with tow device

Features of the BWL6

- Quality powder coated finish
- Plastic base
- Quality bearing castors
- Low noise in mobility
- Large capacity
- □ Security style fully lockable
- Mesh sides and roof