Outdoor Dangerous Goods Stores Organic Peroxides



# **Outdoor Organic Peroxide Stores**





#### Additional Features

- Appropriate safety signage that complies with AS 1216 and AS 1319.
- Engineered footing details available.
- Cyclone proof construction.
- Cambered roof for rainwater run-off.

- Earth stake and mounting.
- Manufactured in Australia.



#### 80L - Small Outdoor Organic Peroxide Store

	Di	imensions		
	н	۷	V	D
External	1375	78	85	635
Internal	1070	7	70	490
Door Oper	ning Width			627
Storage Le	vels			2
Sump Cap	acity			63L
Weight				101.0 kg
Complies \	Nith		AS 2	714:2008
Max	4L	20L	60L	205L
80L	18*	4	1	0

\*with 3 storage levels

#### DPR16052



5.2

MAXIMUM CAPACITY 80 LITRES

> D DRAIN VALVE TO BE T CLOSED & LOCKED



## 160L - Small Outdoor Organic Peroxide Store

	Di	mensions		
	н	V	V	D
External	1375	78	35	900
Internal	1070	77	70	755
Door Oper	ning Width			627
Storage Le	evels			2
Sump Cap	acity			94L
Weight				126.0 kg
Complies \	Nith		AS 27	14:2008
Max	4L	20L	60L	205L
160L	27*	8	1	0

\*with 3 storage levels

**Small Outdoor Dangerous Goods Stores** 



### 250L - Small Outdoor Organic Peroxide Store

	PRGANIC PESSION	in the second se	
		ela a	

	Dir	nensions								
	Н	V	V	D						
External	1375	11	50	900						
Internal	1070	11	1135 755							
Door Oper	ning Width			992						
Storage Le	vels			2						
Sump Cap	acity			138L						
Weight			1	L65.0 kg						
Complies \	Nith		AS 272	14:2008						
Мах	4L	20L	60L	205L						
250L	45*	12	2	0						

\*with 3 storage levels

#### DPR25152





# 250L - Small Outdoor Organic Peroxide Store

	Di	mensions		
	н	V	V	D
External	1995	78	35	900
Internal	1690	77	70	755
Door Oper	ning Width			627
Storage Le	vels			3
Sump Cap	acity			94L
Weight				188.0 kg
Complies \	Nith		AS 2	714:2008
Max	4L	20L	60L	205L
250L	45*	12	2	0

DPR35052	
attended and a	S L
UN ST	NO SURVICE NO BUTCH SURVES WITHIN UPERS
	PROMIE PROMIE S2
Ę.	

#### 350L - Small Outdoor Organic Peroxide Store

	Di	mensions		
	н	١	N	D
External	1995	11	.50	900
Internal	1690	11	.35	755
Door Oper	ing Width			992
Storage Le	vels			3
Sump Capa	acity			138L
Weight			2	206.0 kg
Complies \	With		AS 273	14:2008
Max	4L	20L	60L	205L
350L	75*	18	4	0

\*with 5 storage levels

#### DPR45052



	н	V	N	D			
External	1995	15	520	900			
Internal	1690	15	755				
Door Oper	ning Width			2 x 627			
Storage Le	vels			3			
Sump Cap	acity	182L					
Weight		288.0 kg					
Complies \	With		AS 2	714:2008			
Max	4L	20L	60L	205L			
450L	90*	24	4	0			

450L - Small Outdoor Organic Peroxide Store

Dimensions

\*with 5 storage levels



### 650L - Small Outdoor Organic Peroxide Store

NO SALVASE NO CALLAR SERVICES MILTAN S JEETRES	PREAME 52	NO SUDING NO SUD
	MAXIMUM CAPACITY 600 LITRES	

	Dir	nensions		
	Н	V	V	D
External	1995	22	00	900
Internal	1690	21	85	755
Door Oper	ning Width			3 x 627
Storage Le	vels			3
Sump Cap	acity			264L
Weight				393.0 kg
Complies \	With		AS 27	14:2008
Мах	4L	20L	60L	205L
650L	135*	36	6	3

\*with 5 storage levels

#### DPR85052



# 850L - Small Outdoor Organic Peroxide Store



	Di	mensions		
	н	V	N	D
External	1995	29	90	900
Internal	1690	28	325	755
Door Oper	ning Width			4 x 627
Storage Le	evels			3
Sump Cap	acity			341L
Weight				514.0 kg
Complies	With		AS 2	714:2008
Мах	4L	20L	60L	205L
850L	180*	48	8	4

\*with 5 storage levels



#### 1000L - Small Outdoor Organic Peroxide Store

F		0					L.		1	2			1
			<	ORGA		>							
				5.	63					NI SM		CERT D NAMED R ITY 1000	
				1800 2	45 578	a	IIII				H CAPAC	TT 100	
	in the second						1		4				 2035
JE.	the liter	0						13					

Dimensions					
	Н	V	V	D	
External	1995	36	00	900	
Internal	1690	35	85	755	
Door Opening Width				3 x 1075	
Storage Levels				3	
Sump Capacity			432L		
Weight			564.0 kg		
Complies With				AS 4326:2008	
Max	4L	20L	60L	205L	
1000L	270*	54	12	3	

\*with 5 storage levels

Australia Wide Sales & Service sales@materialshandling.com.au | www.materialshandling.com.au | 1300 25 84 07

