



Outdoor Dangerous
Goods Stores
Corrosive Substances

MATERIALS
Handling *Working with ease...*
PTY LTD




Outdoor Corrosive Substance Stores

AS3780

Complies with AS 3780:2008

Designed and manufactured in full conformance to AS 3780:2008 - The storage and handling of corrosive substances.




ISO Locking Bars

ISO locking bars for high security.



270° Door Hinging

Doors fold back 270°.




Ventilation

Ventilation to suit AS 3780:2008.



Perforated Adjustable Shelving

Heavy duty adjustable shelves.



Forklift Channels

For easy relocation.



Additional Features

- Appropriate safety signage that complies with AS 1216 and AS 1319.
- Engineered footing details available.
- Cyclone proof construction.
- Cambered roof for rainwater run-off.
- Earth stake and mounting.
- Manufactured in Australia.

Product Code

Specifications

DPR0808



80L - Small Outdoor Corrosive Substance Store

Dimensions				
	H	W	D	
External	1375	785	635	
Internal	1070	770	490	
Door Opening Width				627
Storage Levels				2
Sump Capacity				63L
Weight				101.0 kg
Complies With	AS 3780:2008			
Max	4L	20L	60L	205L
80L	18*	4	1	0

*with 3 storage levels

DPR1608



160L - Small Outdoor Corrosive Substance Store

Dimensions				
	H	W	D	
External	1375	785	900	
Internal	1070	770	755	
Door Opening Width				627
Storage Levels				2
Sump Capacity				94L
Weight				126.0 kg
Complies With	AS 3780:2008			
Max	4L	20L	60L	205L
160L	27*	8	1	0

*with 3 storage levels

Product Code

Specifications

DPR2508



250L - Small Outdoor Corrosive Substance Store

Dimensions				
	H	W	D	
External	1375	1150	900	
Internal	1070	1135	755	
Door Opening Width	992			
Storage Levels	2			
Sump Capacity	138L			
Weight	165.0 kg			
Complies With	AS 3780:2008			
Max	4L	20L	60L	205L
250L	45*	12	2	0

*with 3 storage levels

DPR2518



250L - Small Outdoor Corrosive Substance Store

Dimensions				
	H	W	D	
External	1995	785	900	
Internal	1690	770	755	
Door Opening Width	627			
Storage Levels	3			
Sump Capacity	94L			
Weight	188.0 kg			
Complies With	AS 3780:2008			
Max	4L	20L	60L	205L
250L	45*	12	2	0

*with 5 storage levels

Product Code

Specifications

DPR3508



350L - Small Outdoor Corrosive Substance Store

Dimensions				
	H	W	D	
External	1995	1150	900	
Internal	1690	1135	755	
Door Opening Width			992	
Storage Levels			3	
Sump Capacity			138L	
Weight			206.0 kg	
Complies With			AS 3780:2008	
Max	4L	20L	60L	205L
350L	75*	18	4	0

*with 5 storage levels

DPR4508



450L - Small Outdoor Corrosive Substance Store

Dimensions				
	H	W	D	
External	1995	1520	900	
Internal	1690	1505	755	
Door Opening Width			2 x 627	
Storage Levels			3	
Sump Capacity			182L	
Weight			288.0 kg	
Complies With			AS 3780:2008	
Max	4L	20L	60L	205L
450L	90*	24	4	0

*with 5 storage levels

Product Code

Specifications

DPR6508



650L - Small Outdoor Corrosive Substance Store

Dimensions				
	H	W	D	
External	1995	2200	900	
Internal	1690	2185	755	
Door Opening Width				3 x 627
Storage Levels				3
Sump Capacity				264L
Weight				393.0 kg
Complies With				AS 3780:2008
Max	4L	20L	60L	205L
650L	135*	36	6	3

*with 5 storage levels

DPR8508



850L - Small Outdoor Corrosive Substance Store

Dimensions				
	H	W	D	
External	1995	2990	900	
Internal	1690	2825	755	
Door Opening Width				4 x 627
Storage Levels				3
Sump Capacity				340L
Weight				514.0 kg
Complies With				AS 3780:2008
Max	4L	20L	60L	205L
850L	180*	48	8	4

*with 5 storage levels

Product Code

Specifications

DPR10008



1000L - Small Outdoor Corrosive Substance Store

Dimensions				
	H	W	D	
External	1995	3600	900	
Internal	1690	3585	755	
Door Opening Width	3 x 1075			
Storage Levels	3			
Sump Capacity	432L			
Weight	564.0 kg			
Complies With	AS 3780:2008			
Max	4L	20L	60L	205L
1000L	270*	54	12	3

*with 5 storage levels