




Outdoor Dangerous
Goods Stores - IBCs
Oxidising Agents

Outdoor Oxidising Agent IBC Stores




270° Door Hinging

Doors which fold back 270° for ease of access and forklift loading and unloading of IBC's.




Lifting Lugs

Lifting lugs, forklift channels and locating plates.



Polyurethane Coating

Finished in high build 2 pak polyurethane primer and high gloss topcoat, total build thickness minimum of 120 microns.




Ventilation

Ventilation to suit AS 4326:2008.



Complies with AS 4326:2008

Designed and manufactured in full conformance to AS 4326:2008 - *The storage and handling of oxidising agents.*



ISO Locking Bars

ISO locking bars for high security.

Additional Features

- Cambered roof for rainwater run-off.
- Liquid tight spill containment sump with compliant capacity.
- Easy access: each IBC is immediately accessible via forklift.
- Suitable for storage of IBC's and pallets.
- Earth stake and mounting.
- Cyclone proof construction.
- Appropriate warning and safety signage that complies with AS 1216 and AS 1319.
- Engineered footing details available.
- Manufactured in Australia.

DPR01BBA



1 IBC - Single Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	2205	1540	1440
Internal	1300	1250	1225
Storage Levels	1		
Sump Capacity	250L		
Weight	406.0 kg		
Complies With	AS 4326:2008		
Max	IBC's		
1000L	1		

DPR02BBA



2 IBC - Single Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	1950	2790	1440
Internal	1300	2500	1225
Storage Levels	1		
Sump Capacity	500L		
Weight	569.0 kg		
Complies With	AS 4326:2008		
Max	IBC's		
2000L	2		

DPR04BBA



4 IBC - Single Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3445	2670	1440
Internal	1275 (upper)	2500	1225
	1275 (lower)		
Storage Levels			2
Sump Capacity			1000L
Weight			835.0 kg
Complies With			AS 4326:2008
Max	IBC's		
4000L	4		

DPR06BBA



6 IBC - Single Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3350	4115	1440
Internal	1275 (upper)	2500 (double bay)	1225
	1275 (lower)	1250 (single bay)	
Storage Levels			2
Sump Capacity			1500L
Weight			1140.0 kg
Complies With			AS 4326:2008
Max	IBC's		
6000L	6		

DPR08BBA



8 IBC - Single Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3310	5365	1440
Internal	1275 (upper)	2 x 2500 (double bays)	1225
	1275 (lower)		
Storage Levels	2		
Sump Capacity	2000L		
Weight	1422.0 kg		
Complies With	AS 4326:2008		
Max	IBC's		
8000L	8		

DPR08DBBA



8 IBC - Double Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3320	2790	2520
Internal	1275 (upper)	2500 (double bay)	2400
	1275 (lower)		
Storage Levels	2		
Sump Capacity	2000L		
Weight	1276.0 kg		
Complies With	AS 4326:2008		
Max	IBC's		
8000L	8		

Product Code

Specifications

DPR10BBA



10 IBC - Single Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3280	6740	1440
Internal	1275 (upper)	2 x 2500 (double bays)	1225
	1275 (lower)	1 x 1250 (single bay)	
Storage Levels			2
Sump Capacity			2500L
Weight			1767.0 kg
Complies With			AS 4326:2008
Max	IBC's		
10000L	10		

DPR12BBA



12 IBC - Single Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3280	7990	1440
Internal	1275 (upper)	3 x 2500 (double bays)	1225
	1275 (lower)		
Storage Levels			2
Sump Capacity			3000L
Weight			2027.0 kg
Complies With			AS 4326:2008
Max	IBC's		
12000L	12		

Product Code

Specifications

DPR12DBBA



12 IBC - Double Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3305	4115	2520
Internal	1275 (upper)	2500 (double bays)	2420
	1275 (lower)	1250 (single bay)	
Storage Levels			2
Sump Capacity			3000L
Weight			2350.0 kg
Complies With			AS 4326:2008
Max	IBC's		
12000L	12		

DPR16BBA



16 IBC - Single Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3280	10615	1440
Internal	1275 (upper)	4 x 2500 (double bays)	1225
	1275 (lower)		
Storage Levels			2
Sump Capacity			4000L
Weight			2715.0 kg
Complies With			AS 4326:2008
Max	IBC's		
16000L	16		

Product Code

Specifications

DPR16DBBA



16 IBC - Double Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3295	5365	2520
Internal	1275 (upper)	2 x 2500 (double bays)	2420
	1275 (lower)		
Storage Levels			2
Sump Capacity			4000L
Weight			4250.0 kg
Complies With			AS 4326:2008
Max	IBC's		
16000L	16		

DPR20DBBA



20 IBC - Double Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3335	6740	2520
Internal	1275 (upper)	2 x 2500 (double bays)	2420
	1275 (lower)	1 x 1250 (single bay)	
Storage Levels			2
Sump Capacity			5000L
Weight			2747.0 kg
Complies With			AS 4326:2008
Max	IBC's		
20000L	20		

Product Code

Specifications

DPR24DBBA



24 IBC - Double Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3295	7990	2520
Internal	1275 (upper)	3 x 2500 (double bays)	2420
	1275 (lower)		
Storage Levels			2
Sump Capacity			6000L
Weight			3202.0 kg
Complies With			AS 4326:2008
Max	IBC's		
24000L	24		

DPR32DBBA



32 IBC - Double Depth Oxidising Agent Store

Dimensions			
	H	W	D
External	3295	10615	2520
Internal	1275 (upper)	4 x 2500 (double bays)	2420
	1275 (lower)		
Storage Levels			2
Sump Capacity			8000L
Weight			4271.0 kg
Complies With			AS 4326:2008
Max	IBC's		
32000L	32		