
ML80-7000 to 7009 Single Arm


ML80 Single Arm

- 304 Stainless Construction
- Bead Blasted Finish
- Reversible for Extra Height
- 9 Standard Lengths (custom lengths available)
- 550mm Stock Length
- Capacity 80kg at 400mm




Product Code	Length, L (mm)
ML80-7000	400
ML80-7001	450
ML80-7002	500
ML80-7003	550
ML80-7004	600
ML80-7005	650
ML80-7006	700
ML80-7007	750
ML80-7008	800











Dimensions marked * are for the tool in the reversed position


ML80-7010 Roller Arm




ML80-7020 Twin Arm




ML80-7021 Twin Arm Adjustable




ML80-7030 Crate Forks Adjustable Euro




ML80-7031 Crate Forks Adjustable




ML80-7032 Adjustable Crate Toothed Forks




ML80-7033 Adjustable Crate Channel Forks




ML80-7040 Cradle End Forks



ML80-7041 Cradle End Forks Adjustable



ML80-7050 Small Pallet Forks




ML80-7080 to 7089 Platform Tool

ML80 Platform Tool


- 304 Stainless Construction
- Bead Blasted Finish
- 10mm Thick Acetal Top
- 9 Standard Sizes (custom sizes available)
- 500 x 500mm size Stock
- Capacity 80kg at 400mm




Part Number	Depth, D (mm)	Width, W (mm)
ML80-7080	400	400
ML80-7081	400	500
ML80-7082	400	600
ML80-7083	500	400
ML80-7084	500	500
ML80-7085	500	600
ML80-7086	600	400
ML80-7087	600	500
ML80-7088	600	600



ML80-7090 Roller Platform



ML80-7091 Roller Platform Side Loading




ML80-7100 Fixed V-bed

ML80 Fixed V-bed

- 304 Stainless Construction
- Bead Blasted Finish
- Suits roll between Ø200mm and Ø400mm
- 400mm bed suits maximum roll width of 700mm
- Custom sizes are available to suit all roll sizes
- Capacity 80kg at 400mm

Custom V-bed Details		
Roll Diameter	D	
Roll Length	L	



ML80-7101 Fixed V-bed with Rollers

ML80 Fixed V-bed with Rollers

- 304 Stainless Construction
- Bead Blasted Finish
- **Fixed Position**
- Suits roll between Ø250mm and Ø400mm
- 400mm bed suits maximum roll width of 700mm
- Custom sizes are available to suit all roll sizes
- Capacity 80kg at 400mm

Custom V-bed Details		
Roll Diameter	D	
Roll Length	L	




ML80-7110 Rotary V-bed


ML80 Rotary V-bed

- 304 Stainless Construction
- Bead Blasted Finish
- 360° Rotation
- Suits roll between Ø200mm and Ø400mm
- 400mm bed suits maximum roll width of 700mm
- Custom sizes are available to suit all roll sizes
- Capacity 80kg at 400mm


Custom V-bed Details		
Roll Diameter	D	
Roll Length	L	




ML80-7111 Rotary V-bed with Rollers



ML80-7120 Hanger, Mild Steel




ML80-7121 Hanger, Stainless




ML80-7130 Hanger and Chains, Mild Steel

ML80 Hanger and Chains, Mild Steel


- 304 Stainless Hanger
- Fits ML80 Single Arm Tool (supplied separately)
- Grade 8 eye type sling hook with safety catch and chains (mild steel)
- 360° Rotation
- Capacity 80kg at 400mm





Dimension shown for single arm mounted in reversed position

ML80-7131 Hanger and Chains, Stainless Steel





ML80-7140 to 7142 Linear Side Shift

ML80 Linear Side Shift

- 304 Stainless Construction
- Steel rails and re-circulating ball bearing guide blocks
- Adds linear side movement to any tool
- 3 different versions available
- Suits all ML80 tools
- Capacity 80kg at 400mm

Part Number	Stroke, S (mm)	Length, L (mm)
ML80-7140	±50	232
ML80-7141	±75	282
ML80-7142	±100	332





ML80-7150 to 7152 Roll Holder Hinged


ML80 Roll Holder Hinged

- 304 Stainless Construction
- Hinged side movement (locks straight)
- Adjustable Jaw
- 3 different versions available
- Capacity 80kg at 400mm
- Ballast option required for stability


Part Number	Reach, R (mm)	Offset, O (mm)
ML80-7150	900	±60
ML80-7151	1000	±75
ML80-7152	1100	±90

Reach, R










ML80-7160 to 7165 Roll Holder Fixed

ML80 Roll Holder Fixed

- 304 Stainless Construction
- 3 different versions available
- Adjustable Jaw
- Capacity 80kg at 400mm
- Ballast option required for stability

Part Number	Reach, R (mm)
ML80-7160	900
ML80-7161	950
ML80-7162	1000
ML80-7163	1050
ML80-7164	1100
ML80-7165	1150

= Reach + 58 Reach, R 1550



85




ML80-7170 to 7177 Carriage Extension


Carriage Extension

- 304 Stainless Steel Construction
- · Smooth Glass Bead Blast Finish
- Fit Multilift 80 series lifters
- Capacity Max 80kg


Part Number	Offset, O (mm)
ML80-7170	75
ML80-7171	100
ML80-7172	125
ML80-7173	150
ML80-7174	175
ML80-7175	200
ML80-7176	225
ML80-7177	250
ML80-7177	250









ML80-7180 Standard Mount Plate



ML80-7200 Bowl Tip Tool Manual




ML80-7201 Bowl Tip Tool Powered




ML80-7300 Roll Turner


ML80 Roll Turner




ML80-7310 Roll Turner Auto Grip



ML80-7390 Core Adaptor




ML80-7400 Powered Clamp




ML80-7500 Manual Clamp

Manual Clamp


- 304 Stainless Steel Construction
- Smooth Glass Bead Blast Finish
- Fit Multilift 80 series lifters
- Capacity Max 50kg
- Rubber contact points
- Clamping Diameter 150 570 mm
- Side Rotation Free moving bearing with spring lock at every 45 degrees
- Clutch Ensures Grip





Position	Minimum Diameter	Maximum Diameter
1	150	340
2	250	450
3	350	570





ML80-7580 Manual Drum Clamp

Drum clamp tool for fixed diameter

- 304 Stainless Steel Construction
- Smooth Glass Bead Blast Finish
- Fit Multilift 80 series lifters
- Capacity Max 50kg
- Rubber contact points
- Clasp to lock in place
- Adjustable clamp pressure
- Made to fit your roll or drum

